

PRODUCT DATASHEET



PAROC Hvac Thermal Support

Paroc Hvac Thermal Supports offer the same impressive properties as our pipe sections. Utilising an extra thick and durable coating that limits mechanical damage, they are the ideal solution for when a quality pipe support is required.

Thermal and condensation insulation of pipework.

Surface temperature of the facing must not exceed +80°C (temperature restriction determined in accordance with heat resistance of adhesive).

PAROC stone wool products are capable of withstanding high temperatures. The binder starts to evaporate when its temperature exceeds approximately 200°C. The insulating properties remain unchanged, but the compressive stress weakens. The softening temperature of stone wool products is over 1000°C.

Nominal Density 140 kg/m³
Package Type Cartons

DIMENSIONS		
THICKNESS	INNER DIAMETER	PIPE SECTION LENGTH
20-100 mm	15-162 mm	80-100 mm
According to EN 13467	According to EN 13467	According to EN 13467

Properties

PROPERTY	VALUE	ACCORDING TO
FIRE PROPERTIES		
Combustibility	Base product non-combustible	EN ISO 1182

Head Office: PAROC GROUP, P.O. Box 240 (Energiakuja 3), FI-00181 Helsinki, Finland, Tel. +358 46 876 8000, Fax +358 46 876 8002, www.paroc.com

The information in this brochure describes the conditions and technical properties of the disclosed products, valid at the time of publication of this document and until replaced by the next printed or digital version. The latest version of this brochure is always available on the Paroc website. Our information material presents applications for which the functions and technical properties of our products have been approved. However, the information does not mean a commercial guarantee. We do not assume liability of the use of third party components used in the application or the installation of our products. We cannot warrant the suitability of our products if used in an area or conditions which are not provided in our information material. As a result of constant further development of our products we reserve the right to make alterations to our information material at any time. PAROC is a registered trademark of Paroc Group. This data sheet is valid in following countries: United Kingdom.